

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

ALCSysONE Navigator

112 2006

Badge

EMPLOYEE

ACTIVE

Personnel Information xxx-xx-xxxx

Title First (Common) MI Last
Mr. John Doe

Company Synergis Systems Clearance Level IT-CL

Card Information

Card Number 2006 PIN Number 4235 Embossed Number
Activated 5/20/2003 Expires 5/20/2004 Status Detail ACTIVE

Information Endorsements

Badge Layout Synergis

Endorsements Special1 Special2 Special3 Special4

Issued Information
- Issued on May 20 2003 3:02PM

Synergis Layout

Save Cancel Delete

Online

Fig. 6




Fig. 7




Fig. 8




Fig. 9

ACCSYS/ONE NAVIGATOR

Clearance Levels for Synergie Systems

ENG-C: ENG
IT-CL
IT
QA-CL
QA

Access Points
Timesets
BusinessHours
Holidays
Access Points
Timesets
24/7
Access Points
Timesets
BusinessHours
WeekDay
Holidays
Christmas
NewYears

Timeset Details

Name: Timeset Item
Type: One Time
Start Time: 12:00 AM
Duration: 0:00
End Time: 12:00 AM
Start Date: 5/20/2003

May, 2003

Sun	Mon	Tue	Wed	Thu	Fri	Sat
27	28	29	30	1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31
1	2	3	4	5	6	7

Create Clone Save

Online

Fig. 10




Fig. 11




Fig. 12

AccSysONE Navigator

GLOBAL ALARM FUNCTIONS

Alarm Conditions

Fault/Alarm

Restore/Normal

Invalid Facility Code

Inactive Card

Card Held

Invalid Clearance Level (Loc)

Invalid Clearance Level (Time)

Portal OPEN

Portal OPEN TOO LONG (Card)

Portal OPEN TOO LONG (BXR)

Emergency Active

AC Fail

Power System Fault

Battery Critical

Critical Shutdown

Power System Overheat

Power System Fan Fail

Route all to Alarm Group:

All Clients

Restore Defaults for All...

Alarm Properties

ALARM Statement

INVALID FACILITY CODE - Access DENIED

Instructions

Send a Team on Location

Alarm Type

Alarm

Alarm Style

Default Alarm

Update

Restore Defaults

Edit

New

Delete

Edit

New

Delete

Online

Fig. 13

AccessONE Navigator

Alarm Attributes - Invalid Facility Code CONDITION

Style: Default Alarm

Appearance and Behavior

☐ Use Automatic Acknowledge

Incoming: ☐ Red ☐ Bold ☐ Blink

Acknowledged: ☐ Blue ☐ Normal

Cleared: ☐ Gray ☐ Normal Hold for: 01:00

Sound

☐ No Sound

☐ Alarm Sound: 1BHTLV.WAV

☐ Play Once

☐ Repeat

☒ Escalate

Escalation Sound: 1BHTFV.WAV

Escalate after: 00:15

Save Cancel

Alarm Conditions

Fault/Alarm Restore/Normal

Invalid Facility Code

Inactive Card

Card Held

Invalid Clearance Level (Loc)

Invalid Clearance Level (Time)

Portal OPEN

Portal OPEN TOO LONG (Card)

Portal OPEN TOO LONG (EXR)

Emergency Active

AC Fail

Power System Fault

Battery Critical

Critical Shutdown

Power System Overheat

Power System Fan Fail

Route all to Alarm Group:

All Clients

Restore Defaults for All...

Online

Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18